

TEKNOMOTOR



HF motor C55K



TEKNOMOTOR


TYPE TIPO TYP	POWER POTENZA LEISTUNG	VOLTAGE TENSIONE SPANNUNG	FREQ.	SPEED VELOCITA' DREHZAHL	ABSORB. ASSORB. AMP AUFN	WEIGHT PESO GEW.
	kW	V	Hz	RPM	A	kg
C55K – A – SB	0.30	220 / 380	100	6000	2.1 / 1.2	6.8
C55K – B – SB	0.45	220 / 380	100	6000	3.0 / 1.7	7.4
C55K – C – SB	0.60	220 / 380	100	6000	3.9 / 2.3	8.1
C55K – D – SB	0.75	220 / 380	100	6000	4.8 / 2.8	8.4
C55K – E – SB	0.90	220 / 380	100	6000	5.7 / 3.3	9.0
C55K – A – SB	0.70	220 / 380	200	12000	3.6 / 2.1	6.8
C55K – B – SB	1.00	220 / 380	200	12000	5.4 / 3.1	7.4
C55K – C – SB	1.40	220 / 380	200	12000	7.2 / 4.2	8.1
C55K – D – SB	1.60	220 / 380	200	12000	8.5 / 4.9	8.4
C55K – E – SB	2.00	220 / 380	200	12000	10.3 / 5.9	9.0

OVERALL DIMENSIONS – DIMENSIONI INGOMBRO – ABMESSUNGEN

[illegible]

TYPE – TIPO – TYP	L1 [mm]	P [mm]	K [mm]	M [mm]
C55K–A–SB–L20	232.5	113.5	145	185
C55K–B–SB–L20	262.5	143.5	175	215
C55K–C–SB–L20	302.5	183.5	215	255
C55K–D–SB–L20	322.5	203.5	235	275
C55K–E–SB–L20	362.5	243.5	275	315


C55K – SB – L40



TYPE – TIPO – TYP	L2 [mm]	P [mm]	K [mm]	M [mm]
C55K–A–SB–L40	252.5	113.5	145	185
C55K–B–SB–L40	282.5	143.5	175	215
C55K–C–SB–L40	322.5	183.5	215	255
C55K–D–SB–L40	342.5	203.5	235	275
C55K–E–SB–L40	382.5	243.5	275	315



C55K – SB – L61



TYPE – TIPO – TYP	L3 [mm]	P [mm]	K [mm]	M [mm]	HK [mm]	FK [mm]
C55K-A-SB-L61	273.5	113.5	145	185	18	19
C55K-B-SB-L61	303.5	143.5	175	215		
C55K-C-SB-L61	343.5	183.5	215	255		
C55K-D-SB-L61	363.5	203.5	235	275		
C55K-E-SB-L61	403.5	243.5	275	315		

